


LEVEL 2 PLAN
 A S-2.3 1/4" = 1'-0"

PLAN NOTES

- ELEVATIONS SHOWN ARE TO THE TOP OF STEEL AND ARE REFERENCED FROM FINISHED LEVEL 1 FLOOR ELEVATION 100'-0".
- PRECAST PLANK BEARING ELEVATION (+12'-0").
- TOP OF STEEL BEAM = (+12'-10") U.N.O.
- SEE DWG S-1.0 FOR GENERAL NOTES.
- SEE DWG S-4.1 FOR TYPICAL TRAINING DETAILS.
- SEE DWG S-4.1 FOR COLUMN SCHEDULE.
- CAST IN AND PROVIDE HEADERS FOR ALL OPENINGS THROUGH PRECAST PLANK LARGER THAN THE PLANK THICKNESS. COORDINATE REQUIRED OPENING SIZES WITH MECHANICAL, PLUMBING AND ARCHITECTURAL DRAWINGS.
- COPE PRECAST PLANKS AROUND COLUMNS.

LEGEND


- STEEL BEAM SIZE (ASTM A992).
- SERVICE LOAD REACTION (KIPS) EACH END.
- W16X26 (15k)
- C=3/4" CAMBER UPWARD AT MIDSPAN (INCHES).
- (±0'-0") = TOP OF STEEL BEAM ELEVATION REFERENCED FROM FINISHED FIRST FLOOR ELEVATION 100'-0".
- CL-1 = CONCRETE LINTEL SEE SCHEDULE.
- L-1 = STEEL LINTEL SEE SCHEDULE.
- PANEL WIDTH (FEET).
- PRECAST CONCRETE: HC - HOLLOW CORE PLANK. PLANK SLAB DEPTH (INCHES).
- 4HC10
- 4380 PSF = SUPERIMPOSED SERVICE LOAD (COLLATERAL DULL).
- EP-1 = EMBED STEEL PLATE. SEE DETAIL C/S-4.1.
- = I.C.F. WALL REINFORCED W/ #5 VERT @ 16" O.C. #4 HORIZ @ 18" O.C. IF 18" TALL FORM #4 HORIZ @ 16" O.C. IF 16" TALL FORM
- R.D. = ROOF DRAIN. SEE ARCH DWGS.



FINISHED FIRST FLOOR REFERENCE ELEVATION 100'-0"
 = SEA LEVEL DATUM ELEVATION 785.7'

Classification: **CLASSIFIED**
 Caveats: **FOUO**
 This drawing is intended For Official Use Only. Copy and distribution of this document is prohibited. Please properly dispose of this document.

REVISIONS		DATE	Boone Center, HRO Building Frankfort, KY	
1			RECORD DATE	JULY 2012
2			DRAWN BY	NAR
3			CHECKED BY	DK
4			A & E FILE NO	12102.01
5			REVIEWED	DIV. OF ENGR.
6			ENGR. FILE NO	095-C88V-BN92-00
7			AGENCY	COMMONWEALTH OF KENTUCKY FINANCE AND ADMINISTRATION CABINET DIVISION OF ENGINEERING DEPARTMENT FOR FACILITIES MANAGEMENT FRANKFORT, KENTUCKY
8			APPROVED FOR PROGRAM CONCEPT ONLY	DATE
9			APPROVED FOR PROGRAM CONCEPT ONLY	DATE



212 North Upper Street
 Lexington, Kentucky 40507-1801
 p 606.252.6664 f 606.252.2358
 www.omniarchitects.com