| | | | | | | | | | | 16 | pressed Air | Gas | ٠. | ust | |
|----------|--|-----------------|----------------------|--------------|----------|---------------------|-----------------|----------|-----------------|------|-------------|---------|-------|---------|---|
| Number | Name/Description | Type/Purpose | Existing Location | New Location | Priority | Size (wxdxh) | Furnished by | Moved by | Installed by | Powe | Data | Natural | Water | Exhaust | Notes |
| WD-CM-01 | compressor | compressor | 212 Reynolds | 0123 | 1 | 48 x 22 x 48" | Owner | Owner | Owner | 0 | | - | | | property of Lynn Sweet |
| WD-DC-01 | DustVen cyclone dust collection system | dust collection | 212D Reynolds | 0123B | 1 | size 29Q15 | Owner | Owner | Owner | 0 | | - | | ? | ductwork for this system needs to be replaced/rebuilt |
| WD-DP-01 | Delta 16 1/2" drill press | drill press | 212 Reynolds | 0123 | 1 | 14 x 31 x 74" | Owner | Owner | Owner | 0 | | - | | | |
| WD-GR-01 | Baldor grinder/buffer (UK # 270953) | grinder/buffer | 212 Reynolds | 0123 | 1 | 32 x 16 x 47" | Owner | Owner | Owner | 0 | | - | | | |
| WD-GR-02 | grinder, to be purchased | grinder | 212 Reynolds | 0123 | 1 | 16 x 12 x 40" | Owner | Owner | Owner | 0 | | | | | |
| WD-JT-01 | Wallace 8" jointer | jointer | 212 Reynolds | 0123 | 1 | 77 x 27 x 38" | Owner | Owner | Owner | 0 | | - | | 0 | requires 5" direct connection dust collection exhaust |
| WD-LT-01 | Delta 12" 46-612 lathe | lathe | 212 Reynolds | 0123 | 2 | 60 x 21 x 46" | Owner | Owner | Owner | 0 | | - | | 0 | requires indirect dust collection exhaust |
| WD-PL-01 | Powermatic 20" planer (UK # A669804) | planer | 212 Reynolds | 0123 | 1 | 36 x 60 x 42" | Owner | Owner | Owner | 0 | | - | | 0 | requires 5" direct connection dust collection exhaust |
| WD-PL-02 | Rockwell Uniplane | uniplane | 212 Reynolds | 0123 | 3 | 26 x 18 x 44" | Owner | Owner | Owner | 0 | | - | | 0 | requires 2 1/2" direct connection dust collection exhaust |
| WD-PP-01 | Press (antique) | press | 212 Reynolds | 0123D | | 5'10" x 16" x 60" | Owner | Owner | Owner | - | | - | | - | property of Lynn Sweet |
| WD-SB-01 | Spray booth | spray booth | 214 Reynolds | 0123E | 1 | 8'4" x 10'8" x 8'5" | Owner | Owner | Owner | 0 | | - | | ? | |
| WD-SN-01 | Powermatic 6" belt/12" disc sander | sander | 212 Reynolds | 0123 | 1 | 30 x 26 x 44" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SN-02 | Sand Rite pneumatic drum sander (UK # | sander | 212 Reynolds | 0123 | 1 | 36 x 30 x 41" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SN-03 | ShopFox spindle sander | sander | 212 Reynolds | 0123 | 1 | 28 x 28 x 36" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SW-01 | Hammond Trim O Saw | saw | 212A Reynolds | 0123D | 1 | 36 x 39 x 34" | Owner | Owner | Owner | 0 | | | | | property of Lynn Sweet |
| WD-SW-02 | Dewalt 10" compound miter saw | saw | 212 Reynolds | 0123 | 1 | 20 x 27 x 50" | Owner | Owner | Owner | 0 | | - | | 0 | requires 1 3/4" direct connection dust collection exhaust |
| WD-SW-03 | Dewalt 20" scroll saw | saw | 212 Reynolds | 0123 | 1 | 16 x 34 x 48" | Owner | Owner | Owner | 0 | | - | | - | |
| WD-SW-04 | SawStop 10" table saw | saw | 212 Reynolds | 0123 | 1 | 70 x 32 x 38" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SW-05 | Panel saw (sheet board cutting machine) | saw | 212 Reynolds | 0123 | 1 | 11' x 30" x 7'6" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SW-06 | Delta 14" bandsaw | saw | 212 Reynolds | 0123 | 1 | 30 x 22 x 69" | Owner | Owner | Owner | 0 | | | | 0 | requires 5" direct connection dust collection exhaust |
| WD-SW-07 | Rockwell 20" bandsaw (UK # 257346) | saw | 212 Reynolds | 0123 | 1 | 42 x 31 x 78" | Owner | Owner | Owner | 0 | | - | | 0 | requires 2 1/2" direct connection dust collection exhaust |
| WD-SW-08 | Rockwell 12" radial arm saw | saw | 212 Reynolds | 0123 | 1 | 36 x 30 x 60" | Owner | Owner | Owner | 0 | | - | | 0 | requires 4" direct connection dust collection exhaust |
| WD-SW-09 | Delta 14" table saw | saw | 212 Reynolds | 0123 | 1 | 48 x 96 x 33.5" | Owner | Owner | Owner | 0 | | - | | 0 | |

ADVANCED PAINTING/DRAWING EQUIPMENT MATRIX

| Number | Name/Description | Type/Purpose | Existing e Location | New Location | Priority | Size (wxdxh) | Furnished by | Moved by | Installed / by | Power | Data Compressed A | Natural Gas | Water | Drain | Exhaust | Notes |
|-----------|---|-----------------|------------------------|--------------|----------|-------------------------------------|-----------------|----------|-------------------|-------|----------------------|-------------|-------|-------|---------|--|
| | 55 gallon drum (Uline S- 10758), stores disposable spirits for oil painting | safety | 202C Reynolds | | 1 | 34 1/2" height, 24" diameter at lid | Owner | Owner | Owner | | | - | - | - | - | |
| | 55 gallon drum (Uline S- 10758), stores disposable spirits for oil painting | safety | 202C Reynolds | | 1 | 34 1/2" height, 24" diameter at lid | Owner | Owner | Owner | • | | | - | - | | |
| | Flammable cabinet (Eagle 2310), stores oil-based chemicals | safety | 202C Reynolds | 0227 | 1 | 23 x 18 x 65" | Contractor | - | Contractor | | | . - | | - | - | |
| | Double sink, with four faucets (hot and cold on both sides) | sink | 202C Reynolds | 0227 | 1 | 54 x 30 x 36" | Contractor | - | Contractor | - | | | 0 | 0 | | not currently functioning |
| PT-ST-01 | painting racks (made in house), slots vary in terms of division, 1 or 2 tiered | storage | 202C Reynolds | 0227 | 1 | 13'9" x 4'6" x 8'7" | Owner | Owner | Owner | | | | - | • | | not specified on form whether to move or replacebut best bet is that they'll need to be replaced |
| | painting racks (made in house), slots vary in terms of division, 3 tiered | storage | 202C Reynolds | 0227 | 1 | 13'9" x 30" x 8'6" | Owner | Owner | Owner | :-: | - | . - | - | - | - | see above |
| | mobile shelving (on casters), (1 of 2, one metal, one plastic) | storage | 202C Reynolds | 0227 | 1/2 | 40" x 28" x 6'9" | Owner | Owner | Owner | | - - | . - | - | | | out of the two, only one is really necessary |
| | mobile shelving (on casters), (2 of 2, one metal, one plastic) | storage | 202C Reynolds | 0227 | 1/2 | 40" x 28" x 6'9" | Owner | Owner | Owner | | | | | - | - | see above |
| PT-PL-01 | model stand (mobile) | model stand | 202C Reynolds | 0227 | 1 | 6 x 4 x 2' | Owner | Owner | Owner | - | | | - | - | - | |
| DW-WT-01 | work table (1 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | | | | | | | to be accompanied by a total of 22 chairs, of which we currently have 18could purchase four or 22 to have a uniform set |
| DW-WT-02 | work table (2 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | - | | | - | - | - | see above |
| DW-WT-03 | work table (3 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | | | | - | | - | see above |
| DW-WT-04 | work table (4 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | - | | | 1- | - | - | see above |
| DW-WT-05 | work table (5 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | | | | | - | - | see above |
| DW-WT-06 | work table (6 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | - | | | - | - | - | see above |
| DW-WT-07 | work table (7 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | | | | - | | - | see above |
| DW-WT-08 | work table (8 of 8) | work table | n/a | 0225 | 1 | c.60 x 30 x 30" | Owner | Owner | Owner | - | | | - | - | - | see above |
| DW-FF-01* | flat files | student storage | e n/a | | 1 | 48 x 35" (?) see comments | Owner | Owner | Owner | - | | | - | - | | not replacing an existing unitpurchase must include 30 drawers in allperhaps 6 five-drawer units, stacked three high, for a total footprint of two units |
| DW-PL-01 | platform | platform | 132A Reynolds | 0225 | 3* | 47 x 72 x 19" | Owner | Owner | Owner | - | | | 12. | - | Ī., | too difficult to move around in the studio easily-if can be repaired (casters added), will be usable, but if adding casters is too difficult, it should be |
| DW-BB-01 | Black board | blackboard | 132A Reynolds | 0225 | 2 | 75 x 76" | Contractor | - | Contractor | - | | . - | - | - | | this is only one year old, should be moved and reinstalled if possible |

| | | | | | | | | | | <u>.</u> | | pressed Air | ral Gas r | _ | nst | |
|---|--|---|--------------------------------------|---|----------|--|-----------------|------------|-----------------|----------|--------------------|-------------|----------------|-------|------|--|
| | , | Type/Purpose | | New Location | Priority | | Furnished by | Moved by | Installed by | Powe | Data | Compr | Natu Wate | Drain | ÷ | Notes |
| Electropic Alectropic | Computer lab table (1 of 44) Computer lab table (2 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0214 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | |
| NM-LT-03 | Computer lab table (3 of 44) | work table | CB 302 Whitehall CB | 0214 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | - | - | | - | - | |
| and the second second second | Computer lab table (4 of 44) Computer lab table (5 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0214 0214 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | (-) | - | - - | - | - | |
| 50101500000000 | Computer lab table (6 of 44) | work table | CB 302 Whitehall CB | 0214 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | |
| | Computer lab table (7 of 44) Computer lab table (8 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0214 0214 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | • | - | - | | - | 100 | |
| | Computer lab table (9 of 44) | work table | CB 302 Whitehall CB | 0214 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | - - | - | - | |
| FREEERING SEC. 40003 | Computer lab table (10 of 44) | work table | 302 Whitehall CB | 0214 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | |
| 537 704 707 705 74 1 1 1 2 2 | Computer lab table (11 of 44) Computer lab table (12 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0214 0214 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | • | - | - | | | - | |
| NM-LT-13 | Computer lab table (13 of 44) | work table | CB 302 Whitehall CB | 0212 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | 3=0 | - | | - | - | |
| 551005500 7981 | Computer lab table (14 of 44) Computer lab table (15 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0212 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | (=) | - | - - | - | - | |
| 000000000000000000000000000000000000000 | Computer lab table (16 of 44) | work table | CB 302 Whitehall CB | 0212 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | • | - | | | | - | |
| | Computer lab table (17 of 44) Computer lab table (18 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0212 0212 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | | | | - | - | |
| | Computer lab table (19 of 44) | work table | CB 302 Whitehall | 0212 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | | |
| | Computer lab table (20 of 44) | work table | CB 302 Whitehall CB | 0212 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | | - | | - | - | |
| | Computer lab table (21 of 44) Computer lab table (22 of 44) | work table | 302 Whitehall CB 302 Whitehall | 0212 0212 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | 1000 | -0 |
| NM-LT-23 | Computer lab table (23 of 44) | work table | CB 304 Whitehall CB | 0212 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | (=) | - | | - | - | |
| | Computer lab table (24 of 44) Computer lab table (25 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0212 0210 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | | - | ٠ | | · | - | |
| | Computer lab table (26 of 44) | work table | CB 304 Whitehall CB | 0210 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | | | - | - | |
| | Computer lab table (27 of 44) Computer lab table (28 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0210 0210 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | | - | - - | - | - | |
| 50000000000000000000000000000000000000 | Computer lab table (29 of 44) | work table | CB 304 Whitehall | 0210 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | - | - | - - | - | - | |
| | Computer lab table (30 of 44) | work table | CB 304 Whitehall CB | 0210 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | | - | | 100 | 100 | |
| | Computer lab table (31 of 44) Computer lab table (32 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0210 0210 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | | - | | | - | |
| NM-LT-33 | Computer lab table (33 of 44) | work table | CB 304 Whitehall CB | 0210 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | - | • | | - | - | |
| | Computer lab table (34 of 44) Computer lab table (35 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0210 0210 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | | - | Charles of | | | | |
| | Computer lab table (36 of 44) | work table | CB 304 Whitehall CB | 0210 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | - - - - | - | - | |
| 1.002000230011W877.1 | Computer lab table (37 of 44) | work table | 304 Whitehall CB | 0136 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | |
| VILLED COST | Computer lab table (38 of 44) Computer lab table (39 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0136 0136 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | |
| NM-LT-40 | Computer lab table (40 of 44) | work table | CB 304 Whitehall CB | 0136 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | 1. - 1. | - | | - | - | |
| 22102202 200 | Computer lab table (41 of 44) Computer lab table (42 of 44) | work table | 304 Whitehall CB 304 Whitehall | 0136 0136 | 1 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | • | (-) | | | - | - | |
| NOTE OF THE PARTY OF | Computer lab table (43 of 44) | work table | CB 304 Whitehall CB | 0136 | 1 | 48 x 30 x 30" | Owner | Owner | Owner | | - | - | - - | - | - | |
| | Computer lab table (44 of 44) Table for printer (1 of 4) | work table | 304 Whitehall CB 302 Whitehall | 0136 0136 | 1 3 | 48 x 30 x 30" 48 x 30 x 30" | Owner | Owner | Owner | - | (2 - 1) | - | | - | - | to be replaced with built-in work surfaces in new lab space, can be repurposed |
| | Table for printer (2 of 4) | work table | CB 302 Whitehall | 0210 | 3 | 48 x 30 x 30" | Owner | Owner | Owner | - | - | - | | - | - | to be replaced with built-in work surfaces in new lab space, can be repurposed |
| | Table for printer (3 of 4) | work table | CB 304 Whitehall CB | 0212 | 3 | 48 x 30 x 30" | Owner | Owner | Owner | | • | - | | | -5 | to be replaced with built-in work surfaces in new lab space, can be repurposed |
| | Table for printer (4 of 4) Speaker, mounted on stand* (1 | work table speakers | 304 Whitehall CB 302 Whitehall | 0214 | 2 | 48 x 30 x 30" 16 x 16 x 48" | Owner | Owner | Owner | - | - | - | - - | - | - | to be replaced with built-in work surfaces in new lab space, can be repurposed currently floor mounted on stands, should be wall or ceiling mounted in new lab |
| NM-SP-02 | of 4) Speaker, mounted on stand* (2 of 4) | speakers | CB 302 Whitehall CB | 0212 | 2 | 16 x 16 x 48" | Owner | Owner | Owner | 0 | | - | | - | _ (| space currently floor mounted on stands, should be wall or ceiling mounted in new lab space |
| AND AND SELECT ADVEN | Speaker, mounted on stand* (3 of 4) Speaker, mounted on stand* (4 | 000000000000000000000000000000000000000 | 304 Whitehall CB 304 Whitehall | 0214 0136 | 2 | 16 x 16 x 48" | Owner | Owner | Owner | 0 | | ٠ | | • | - | currently floor mounted on stands, should be wall or ceiling mounted in new lab space currently floor mounted on stands, should be wall or ceiling mounted in new lab |
| | of 4) Computer lab chair (1 of 42) | chair | CB 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | | - | - | | - | - | space |
| | Computer lab chair (2 of 42) | chair | 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | - | - | |
| -12 00-5712-58 1676-584 | Computer lab chair (3 of 42) Computer lab chair (4 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0214 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | - | | | - | | |
| NM-CH-05 | Computer lab chair (5 of 42) | chair | CB 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | 1.73 | 9850110 | | | 100 | |
| | Computer lab chair (6 of 42) Computer lab chair (7 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0214 0214 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | | | | | - | |
| \$150.500.500.000.000.000.000.000 | Computer lab chair (8 of 42) | chair | CB 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | - - | - | | |
| | Computer lab chair (9 of 42) | chair | 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | | - | - | | - | - | |
| | Computer lab chair (10 of 42) Computer lab chair (11 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0214 0214 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | - - | - | - | |
| STARRESTON WELLIAM | Computer lab chair (12 of 42) | chair | CB 302 Whitehall CB | 0214 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | - | - | |
| | Computer lab chair (13 of 42) Computer lab chair (14 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0212 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | • | - | - - | | - | 18 |
| NM-CH-15 | Computer lab chair (15 of 42) | chair | CB 302 Whitehall CB | 0212 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | | - | - | | - | - | |
| NESSESSION NES | Computer lab chair (16 of 42) Computer lab chair (17 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0212 0212 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | (=) | | - - | | - | |
| | Computer lab chair (18 of 42) | chair | CB 302 Whitehall | 0212 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | | - | - | | | - | 7,0 |
| | Computer lab chair (19 of 42) | chair | CB 302 Whitehall CB | 0212 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | (- 1) | - | | - | - | |
| | Computer lab chair (20 of 42) Computer lab chair (21 of 42) | chair | 302 Whitehall CB 302 Whitehall | 0212 0212 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | | - | | - | - | |
| NM-CH-22 | Computer lab chair (22 of 42) | chair | CB 304 Whitehall CB | 0212 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | • | - | | - | | |
| | Computer lab chair (23 of 42) Computer lab chair (24 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0212 0210 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | • | - | | | | - | |
| | Computer lab chair (25 of 42) | chair | CB 304 Whitehall CB | 0210 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | | - | - - | - | + | -0 |
| | Computer lab chair (26 of 42) | chair | 304 Whitehall CB | 0210 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | • | • | • | | | 122 | |
| | Computer lab chair (27 of 42) Computer lab chair (28 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0210 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | - - - - | - | - | |
| NICOSCO OMISE | Computer lab chair (29 of 42) | chair | CB 304 Whitehall CB | 0210 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | - | | |
| THE SECRET OF THE PROPER | Computer lab chair (30 of 42) Computer lab chair (31 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0210 0210 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | | | |
| | Computer lab chair (32 of 42) | chair | CB 304 Whitehall CB | 0210 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | - - | 1 100 | 100 | |
| | Computer lab chair (33 of 42) Computer lab chair (34 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0210 0210 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | | - | | | | |
| NICONOLO MODIZ | Computer lab chair (35 of 42) | chair | CB 304 Whitehall | 0136 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | - - - - | - | - | |
| | Computer lab chair (36 of 42) | chair | CB 304 Whitehall CB | 0136 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | • | - | |
| | Computer lab chair (37 of 42) Computer lab chair (38 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0136 0136 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | - | - | - | | - | - | |
| NM-CH-39 | Computer lab chair (39 of 42) | chair | CB 304 Whitehall CB | 0136 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | | - | - | | - | | |
| | Computer lab chair (40 of 42) Computer lab chair (41 of 42) | chair | 304 Whitehall CB 304 Whitehall | 0136 0136 | 1 | 24 x 24 x 36" 24 x 24 x 36" | Owner | Owner | Owner | 8 | - | - | | | | |
| | Computer lab chair (42 of 42) | chair | CB 304 Whitehall CB | 0136 | 1 | 24 x 24 x 36" | Owner | Owner | Owner | - |) = i | - | - - | - | - | |
| Pricosent militar Chart. | metal-cutting bandsaw (Grizzly G0622) bench lathe (Shop Fox | power tool | 101 Reynolds | 0136 0216 | 1 | approx. 3.5 x 2 x 3 feet approx. 3 x 2 x 4 feet | Owner | Owner | Owner | 0 | - | | | - | | |
| NM-PT-03 | M1049), with bench milling machine with dovetail | power tool | 101 Reynolds 101 Reynolds | 0216 | 1 | approx. 3 x 2 x 4 feet approx. 5 x 2 x 6 feet | Owner | Owner | Owner | 0 | - | - | - - - - | - | - | bench is personal property of D. Strakovsky, dimensions include bench |
| NM-PT-04 | column (Shop Fox M1110), Delta drill press | power tool | 101 Reynolds | 0216 | 1 | approx. 1.5 x 1.5 x 3 feet | Owner | Owner | Owner | 0 | | - | | - | - | personal property of D. Strakovsky, kept in classroom for use by New Media students |
| CONTRACTOR STORY | Ryobi mini sander Ryobi mini vertical bandsaw | power tool | 101 Reynolds 101 Reynolds | 0216 0216 | 1 | approx. 2 x 1.5 x 1.5 feet approx. 2 x 1 x 3 feet | Owner Owner | Owner | Owner Owner | 0 | - | | | 2 | | personal property of D. Strakovsky, kept in classroom for use by New Media students personal property of D. Strakovsky, kept in classroom for use by New Media |
| NM-WT-01 | work table (1 of 7) | work table | 101 Reynolds | 0216 | 1 | 72 x 36 x 30" | Owner | Owner | Owner | | - | - | | - | - | students tables in excellent condition; need to keep for work surfaces in the new space |
| | work table (2 of 7) work table (3 of 7) | work table | 101 Reynolds 101 Reynolds | 0216 0216 | 1 | 72 x 36 x 30" 72 x 36 x 30" | Owner | Owner | Owner | - | 9. ≡ 3. | • | | - | | tables in excellent condition; need to keep for work surfaces in the new space tables in excellent condition; need to keep for work surfaces in the new space |
| | work table (3 of 7) work table (4 of 7) | work table | 101 Reynolds | 0216 | 1 | 72 x 36 x 30" | Owner | Owner | Owner | - | - | - | - - | - | - | tables in excellent condition; need to keep for work surfaces in the new space |
| | work table (5 of 7) | work table | 101 Reynolds | 0216 | 1 | 72 x 36 x 30" | Owner | Owner | Owner | - | - | - | | - | - | tables in excellent condition; need to keep for work surfaces in the new space |
| | work table (6 of 7) work table (7 of 7) | work table | 101 Reynolds 101 Reynolds | 0216 0216 | 1 | 72 x 36 x 30" 72 x 36 x 30" | Owner | Owner | Owner | - | - | - | | | - | tables in excellent condition; need to keep for work surfaces in the new space |
| CONTRACTOR STORES | workshop sink | sink | 101 Reynolds | 0216 | 2 | approx. 1 x 1.5 x 3 feet | Owner | Owner | Owner | | 1-1 | | | - | - | will need to be replaced by an actual slop sink |
| N-0103001020000 X3011 | display scaffolding with tracks | 5 No. 100 April 100 - 101 Art 200 - 101 Art | 101 Reynolds basement | 0118 | 1 | variable, max footprint 20 x | ? Owner | ? Owner | ? Owner | ÷ | - | - | | - | -, | newneeded for future vacuforming and laser-cutting equipment/activities will require a forklift to move, can be hung from ceiling or assembled as free- |
| - 1-14 (A.V.) VP-P1 31 (A.V.) VP-1 | for cables, used for multiple changing projects involving lighting, LED screens, | 2,31 | storage, Reynolds | ₁₀ = 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 | 64 | 20'? | | | | _ | - | _ | | | | standing floor unit; original contact: Larry Glynn, Creative Image Technologies (877) 834-9711/(502) 930-0964 [we have not heard back from Larry Glynn regarding installation]; personal property of Doreen Maloney, but she would like it |
| | projectors, etc. | | | | | | | | | | | | | | 1 | permanently installed for use by students*although the unit itself does not require power, plenty of adjacent outlets needed for the equipment to be mounted on it |
| POWERS TO SERVICE OF | MakerBot Replicator 2 Desktop 3D printer MakerBot Replicator 2 Desktop | 11.00.94.100.000.000 | N/A N/A | 0216 0216 | iee noti | | Owner | Owner | Owner | ÷ | • | - | - - | - | - | this item is currently a "wish list" item, for future purchase this item is currently a "wish list" item, for future purchase |
| NM-LC-01 | 3D printer Universal Laser Systems laser | laser cutter | N/A N/A | 0216 | iee noti | | Owner | Owner | Owner | | | - | - - | - | - | this item is currently a "wish list" item, for future purchase |
| | cutter (single laser) | U | | I. | | I. | | <u> </u> | | | _ | | 1 | | 1, | |

| Number | Name/Description | Type/Purpos | e Location | New Location | Priority | y Size (wxdxh) | by | Moved by | by | ē i | L C | 2 2 | Wat | Dra | Notes |
|----------------------|--|-----------------------------------|--------------------------------|----------------|----------|---|---|------------|--------------------------|--------------|----------|---------|-------|---------|--|
| | Desks with lockable cabinets below counter, large work table | | to be built/purchase d | | 1 | work table: 4 x 12' | Owner | Owner | Owner | 0 | 0 - | | | - | need connections for 10 computers, 10 printers, 4 scanners |
| | Cabinetry to be built for studio lighting room | | to be built/purchase d | | 1 | | Owner | Owner | Owner | - | - | - - | | | built-in, lockable storage with countertops |
| | Color processor | Misc | 116 Reynolds | 0228 | 2 | 64 x 35 x 46" | Owner | Owner | Owner | 0 | - - | - - | 0 | 0 | requires special plumbing and drainage; designed to go through a wall, into a full light room; plumbing requires a temperature regulator and filter; floor drain; eyewash required nearby |
| | Copystand Film drying cabinet | Misc Drying cabinet | 115 Reynolds t 117 Reynolds | 0202A | 1 | 70 x 27 x 78" 72 x 18 x 96" | Owner | Owner | Owner | | | | - | - | needs an outlet current unit custom built onto wall, cannot be moved and must be rebuilt |
| | Dry cabinet | 1 (5 1/ 5) | 107 Reynolds | 0240A | 1 | 23 x 21 x 78" | Owner | Owner | Owner | | | | | - | |
| PH-DK-01 | Lab monitor desk/counter | Desk/counter | 117 Reynolds | | 1 | see notes | Owner | Owner | Owner | 0 | 0 - | | | - | L-shaped, bar height counter with storage beneath; wired for computer station, small appliances, etc.; replacing an existing free-standing desk that is too small |
| | Storage bays under light table (2, see PH-LT-01) | Drying rack shelving | 117 Reynolds | | 1 | racks 36 x 34" | Contracto | | Contractor | | | | | - | for its purpose; to be located adjacent to lab storage area replacing current custom built-in units |
| | for drying racks Drying rack storage/shelving | Drying rack shelving | 117 Reynolds | | 1 | racks 36 x 34" | Contracto | | Contractor | - | | | | - | replacing current custom built-in units |
| PH-DS-01 | Kreonite darkroom sink | Sink | 111 Reynolds | 0234 | 1 | 75.5 x 37.5 x 46" | Owner | Contracto | Contractor | 0 | | | . 0 | 0 | need outlets above sink, temperature regulator to be installed with sink plumbing, base of sink will not survive a move, will need to be rebuilt in new space |
| PH-DS-02 | Kreonite darkroom sink | Sink | 112 Reynolds | 0232 | 1 | 75.5 x 37.5 x 46" | Owner | Contracto | Contractor | 0 | | | . 0 | 0 | need outlets above sink, temperature regulator to be installed with sink plumbing, base of sink will not survive a move, will need to be rebuilt in new space |
| PH-DS-03 | Kreonite darkroom sink | Sink | 113 Reynolds | 0230 | 1 | 75.5 x 37.5 x 46" | Owner | Contracto | Contractor | 0 | | | . 0 | 0 | need outlets above sink, temperature regulator to be installed with sink plumbing, base of sink will not survive a move, will need to be rebuilt in new space |
| PH-DS-04 | Kreonite darkroom sink | Sink | 118 Reynolds | | 1 | 105 x 39 x 46" | | | | | | | | | need outlets above sink, temperature regulator to be installed with sink plumbing, base of sink will not survive a move, will need to be rebuilt in new space, NOTE: |
| | | | | | | | ? | ? | ? | 0 | - - | | 0 | 0 | this sink is currently in a medium sized darkroom, and may not fit in a smaller roomif so, it will need to be replaced with a new, smaller darkroom sink |
| PH-DS-05 | Developing sink | Sink | 117 Reynolds | | 1 | 101 x 28 x 36" | ? | 2 | ? | 0 | -2011/12 | 201 214 | | 0 | temperature regulator, filter, and chilling unit must all be moved and installed with sink; base of sink needs to be replaced; shelves built above it; 5 outlets above |
| PH-DS-06 | Kreonite darkroom sink | Sink | 116 Reynolds | 0228 | 1 | 160 x 43 x 36" | | | | | | | | | nearby |
| | Wash sink (1 of 2) | Sink | 119 Reynolds | 0226A | 1 | 39.5 x 40 x 40" | | | Contractor | | | | | 0 | installed with sink; eyewash required nearby; ventilation for fumes wooden base of sink needs to be replaced; exhaust/ventilation should be located |
| | Wash sink (2 of 2) | Sink | 119 Reynolds | 0226A, 0240 | 1 | 39.5 x 40 x 40" | | Contracto | Contractor | - | | | . 0 | 0 | above wooden base of sink needs to be replaced; exhaust/ventilation should be located above |
| PH-DS-09 | Darkroom sink (1 of 2) | Sink | 119 Reynolds | 0226A | 1 | 98 x 42 x 40" | Owner | Contracto | Contractor | | - - | | . 0 | 0 | eyewash required nearby; base of sink must be replaced; temperature regulator and filter need to be moved and installed with sink plumbing; exhaust/ventilation required above |
| PH-DS-10 | Darkroom sink (2 of 2) | Sink | 119 Reynolds | 0226A | 1 | 98 x 42 x 40" | Owner | Contracto | Contractor | - | | | . 0 | 0 | eyewash required nearby; base of sink must be replaced; temperature regulator and filter need to be moved and installed with sink plumbing; exhaust/ventilation |
| PH-DS-11 | | Sink | 107 Reynolds | | 1 | 72 x 30 x 36" | ? | ? | ? | - | | | . 0 | 0 | required nearby |
| | Black plastic sink Enlarging station | Sink Enlarging | 107 Reynolds 116 Reynolds | 0228 | 1 | 72" x 33" x 38" (front) and 42" (back) 33-40" x 37" x 36" (table) and | r | ? Owner | ? Owner | - | | | . 0 | 0 | if possible, a drawer at each station is desirable; additional stations beyond 6 |
| | Enlarging station | station | 116 Reynolds | | 4 | 72" (partition) | | Owner | Owner | 0 | • ((• | • | | · * / S | being replaced also desirable if new space will accommodate them; 2 electrical outlets per station |
| | | Enlarging station | | | | 33-40" x 37" x 36" (table) and 72" (partition) | : Carrotte | | | 0 | - | | | - | if possible, a drawer at each station is desirable; additional stations beyond 6 being replaced also desirable if new space will accommodate them; 2 electrical outlets per station |
| PH-ES-03 | Enlarging station | Enlarging station | 116 Reynolds | 0228 | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | • | if possible, a drawer at each station is desirable; additional stations beyond 6 being replaced also desirable if new space will accommodate them; 2 electrical outlets per station |
| PH-ES-04 | Enlarging station | Enlarging station | 116 Reynolds | 0228 | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; additional stations beyond 6 being replaced also desirable if new space will accommodate them; 2 electrical |
| PH-ES-05 | Enlarging station | Enlarging station | 116 Reynolds | 0228 | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | | outlets per station if possible, a drawer at each station is desirable; additional stations beyond 6 being replaced also desirable if new space will accommodate them; 2 electrical |
| PH-ES-06 | Enlarging station | Enlarging station | 116 Reynolds | 0228 | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | - | outlets per station if possible, a drawer at each station is desirable; additional stations beyond 6 being replaced also desirable if new space will accommodate them; 2 electrical |
| PH-ES-07 | Enlarging station | Enlarging station | 119 Reynolds | 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | | outlets per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | Enlarging station | 119 Reynolds | 0226A | 1.77 | 33-40" x 37" x 36" (table) and 72" (partition) | 0.0000000000000000000000000000000000000 | Owner | Owner | 0 | - | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds 119 Reynolds | 0226A 0226A | | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | | • | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | station Enlarging station | 119 Reynolds | 0226A | | 72" (partition) 33-40" x 37" x 36" (table) and 72" (partition) | | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | Enlarging station | 119 Reynolds | 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds | 0226A 0226A | | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | - | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | station Enlarging station | 119 Reynolds | 0226A | 1 | 72" (partition) 33-40" x 37" x 36" (table) and 72" (partition) | | Owner | Owner | 0 | - - | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | | Stauon | | | | 72 (partition) | | | | 0 | - | | - | - | |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds | 0226A 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) | | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | station Enlarging | 119 Reynolds | 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| PH-ES-19 | Enlarging station | station Enlarging station | 119 Reynolds | 0226A | 1 | 72" (partition) 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station | Enlarging station | 119 Reynolds | 0226A 0226A | | 33-40" x 37" x 36" (table) and 72" (partition) | | Owner | Owner | 0 | | | | • | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds 119 Reynolds | 0226A 0226A | | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| PH-ES-23 | Enlarging station | station Enlarging station | 119 Reynolds | 0226A | 1 | 72" (partition) 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds 119 Reynolds | 0226A 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | | - | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| 1112020 | Endiging Station | station | 113 reynolds | 022071 | | 72" (partition) | Owner | Owner | Owner | 0 | | | | - | possible, a drawes at each station is desirable, i electrical outlet per station |
| DU ES 26 | Folossias atalias | Falassias | 110 Downalda | 02264 | | 22 40" v 27" v 26" (lable) and | 0 | Owner | 0 | | | | | | if asseible a desugn of each station is desirable. A station at the second in |
| | Enlarging station Enlarging station | Enlarging station Enlarging | 119 Reynolds 119 Reynolds | 0226A 0226A | 1 | 33-40" x 37" x 36" (table) and 72" (partition) 33-40" x 37" x 36" (table) and | | Owner | Owner | 0 | - - | | - | | if possible, a drawer at each station is desirable; 1 electrical outlet per station if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| PH-ES-28 | Enlarging station | station Enlarging station | 119 Reynolds | 0226A | 1 | 72" (partition) 33-40" x 37" x 36" (table) and 72" (partition) | Owner | Owner | Owner | 0 | | | | | if possible, a drawer at each station is desirable; 1 electrical outlet per station |
| | Exposure table | Misc | 107 Reynolds | | 1 | 8' x 4' x 52" | Owner | Owner | Owner | 0 | - 1 | | | | needs one outlet |
| PH-FF-01 PH-FF-02 | | Storage Storage | 107 Reynolds 107 Reynolds | | 1 | 47 x 36 x 32" 60 x 27 x 24" | Owner | Owner | Owner | - | | | - | - 1 | would like to replace with another metal model like PH-FF-01 |
| PH-FR-01 | Freezer (1 of 2) | Misc | 107 Reynolds | 0240A | 1 | 28 x 24 x 64" | Owner | Owner | Owner | 0 | | | | - | needs one outlet |
| | Freezer (2 of 2) | Misc | 107 Reynolds | 0240A | 1 | 33 x 31 x 72" | Owner | Owner | Owner | 0 | - | | | - | needs one outlet |
| Principle Unit | Hypo wash station Loading room | Misc Loading room | 119 Reynolds | | 1 | should accommodate at least a 24 x 20" tray 36 x 48" | Owner | Owner | Owner | - | | | | - | can be a table, extra enlarging station, or sink, as long as it is a surface that can get wet (currently comprised of a table and 24 x 20" tray) room must be constructed in new space, and include an interior shelf 36" high |
| PH-LR-02 | Loading room | Loading room | 117 Reynolds | | 1 | 36 x 48" | Contracto | - | Contractor | | | | | | and 12-18" deep room must be constructed in new space, and include an interior shelf 36" high and 12-18" deep |
| PH-LT-01 | | Misc | 117 Reynolds | | 1 | 88 x 29 x 36" | Contracto | | Contractor | | • (| | | | replacing current custom built-in unit, needs structures for drying racks under light table surface, and a dedicated hardwire for the light table power switch |
| | Epson projector Metal storage cabinet | Misc Storage | 115 Reynolds 114 Reynolds | 0220 | 1 | 36 x 25 x 80" | Owner | Owner | Owner | 0 | • //• | - - | | - | needs to be replaced with a newer model; needs ceiling mount and outlet; will also require conduit for cables connecting to adjacent computer station |
| PH-SC-02 | Metal storage cabinet | Storage | 114 Reynolds | 0220 | 1 | 36 x 18 x 75" | Owner | Owner | Owner | | | | | • | • |
| PH-SC-03 | Standard floor and wall cabinets with counter space | Storage | to be built/purchase | 0220 | 1 | | ? | ? | ? | - | | | | - | To run along one wall of the lab monitor/storage room |
| | space Shelving/cabinets | Storage | 107 Reynolds | | 1 | 46 x 24 x 88" and 36 x 25 x 60" | · Commission | Owner | Owner | - | | | | - | needs to be replaced with closed and lockable cabinetrystores chemicals, safety equipment, as well as developing and printing equipment and materials |
| | Open chemical storage shelving Wire shelving unit | Storage Storage | 117 Reynolds 114 Reynolds | | 1 | 36 x 18" 72 x 18 x 74" | Owner | Owner | Owner | - | | | | - (| built in storage to be replaced in new space, must be in an open area for student access |
| | (freestanding) Wire shelving unit | Storage | 114 Reynolds | | 1 | 72 x 18 x 74" | Owner | Owner | Owner | - | - - | | | | • |
| PH-SL-01 | (freestanding) Safelight | Safelight | 111 Reynolds | | 1 | 17 x 12 x 10" | Contracto | | Contractor | 3.25.77. | | | | -1 | requires ceiling outlet, switch separate from room light switch |
| PH-SL-02 PH-SL-03 | | Safelight Safelight | 112 Reynolds 113 Reynolds | | 1 | 17 x 12 x 10" 17 x 12 x 10" | Contracto | 77: | Contractor Contractor | | | | | - | requires ceiling outlet, switch separate from room light switch requires ceiling outlet, switch separate from room light switch |
| PH-SL-04 | | Safelight | 118 Reynolds | | 1 | 17 x 12 x 10" | Contracto | - | Contractor | 22 | _ | - | | - | requires ceiling outlet, switch separate from room light switch |
| PH-SL-05 | regentation—the cour | Safelight | 116 Reynolds | | 1 | 17 x 12 x 10" | Contracto | | Contractor | - | | | | 36.1 | needs a ceiling outlet and a dedicated switch at the center of the room |
| | Safelight (1 of 2) Safelight (2 of 2) | Safelight Safelight | 119 Reynolds 119 Reynolds | | 1 | 47 - 40 - 408 | Contracto | - | Contractor Contractor | | | | - | - | to be suspended from ceiling, with dedicated switch, above sink (PH-DS-09) to be suspended from ceiling, with dedicated switch, above sink (PH-DS-10) |
| PH-SL-08 | 150 10 150 | Safelight | 107 Reynolds | | 1 | 47 40 400 | Contracto Contracto | | Contractor | - | _ | | | - | ceiling outlet and dedicated switch located in the center of the room |
| | Track lighting | Misc | 115 Reynolds | | 1 | | Contracto | | Contractor | _ | - 1 | | | - | suspended lighting system-needs 2 dedicated switches |
| PH-WT-01 | Darkroom work table | Work table | 111 Reynolds | | 1 | 72 x 31 x 36" | Owner | Owner | Owner | 0 | | | | - | built-in, made to fit existing room specs, cannot be moved/will need to be replaced in new space; replacement must be a minimum of 6 feet in width, and have 4 shelves 36" wide and 12" high underneath; 5 outlets installed above table |
| PH-WT-02 | Darkroom work table | Work table | 112 Reynolds | | 1 | 67 x 31 x 36" | Owner | Owner | Owner | | | | | | built-in, made to fit existing room specs, cannot be moved/will need to be |
| | | | | | | | | | | 0 | | | - - | • | replaced in new space; replacement must be a minimum of 6 feet in width, and have 4 shelves 36" wide and 12" high underneath; 5 outlets installed above table |
| PH-WT-03 | Darkroom work table | Work table | 113 Reynolds | | 1 | 78 x 31 x 36" | Owner | Owner | Owner | 0 | | | | | built-in, made to fit existing room specs, cannot be moved/will need to be replaced in new space; replacement must be a minimum of 6 feet in width, and |
| PH-WT-04 | Darkroom work table | Work table | 118 Reynolds | | 1 | N/A | Owner | Owner | Owner | | | | | | have 4 shelves 36" wide and 12" high underneath; 5 outlets installed above table built-in, made to fit existing room specs, cannot be moved/will need to be |
| | work table | . Tork table | Neyholds | | | INIC | Owner | - Wiler | Owner | 0 | | | - - | - | replaced with smaller table/counter in new space; replacement must be a minimum of 6 feet in width, and have 4 shelves 36" wide and 12" high |
| PH-WT-05 | Viewing station (countertop with spotlight, | Work table | 117 Reynolds | | 1 | 36 x 18 x 36" | | | | 0 | | | | | underneath; 5 outlets installed above table Needs to replace current custom built unit; must be located near the gang darkroom entrance; needs one dedicated overhead spot light |
| PH M/T 00 | tray, and squeegee) | Moderati | 117 Paranti | | | 26 4 24 4 265 | ? | ? | ? | 0 | | | | - | |
| | Archival wet print area Classroom/work table (1 | Work table Work table | 117 Reynolds 115 Reynolds | | 1 | 36 x 24 x 36" 8' x 4' x 30" | ? Owner | ? Owner | ? Owner | •) | | | | - | replacing current custom built unit, needs to have a work surface and open shelving below for trays |
| | of 2) Classroom/work table (2 of 2) | Work table | 115 Reynolds | | 1 | 8' x 4' x 30" | Owner | Owner | Owner | - | | | | - | • |
| | Classroom/work table | Work table | 115 Reynolds | | 2 | 7' x 3' x 32" | Owner | Owner | Owner | 4 1 8 | | | - | | unit may be replaced by counters? |
| PH-WT-10 | Built-in work counter (to | Work table | 115 Reynolds | | 1 | 24' x 31" x 36" | Contracto | ı | Contractor | | | | | | current unit custom built onto wall, cannot be moved and must be rebuilt; needs |

2 7' x 3' x 32" Owner Owner — _ _ _ _ unit may be replaced by counters?

1 24' x 31" x 36" Contractor
O - - - - _ _ current unit custom built onto wall, cannot be moved and must be rebuilt; needs electrical outlets beneath, every two feet

PH-WT-10 Built-in work counter (to accommodate dry mount presses and paper

| PH-WT-11 | Table (1 of 2) | Work | 107 Reynolds | table/Storage | PH-WT-12 | Table (2 of 2) | Work | table/Storage | 107 Reynolds | table/Storage | 107 Reynolds | 107 Re

cutters)
PH-WT-11 Table (1 of 2)

Studies Visual Oŏ of School Academic 5 VER

PHASE 3 - CONSTUCTION DOCUMENTS 50% REVIEW SUBMITTAL