



GENERAL NOTES

- A. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING AND PROTECTING UTILITIES PRIOR TO START OF WORK.
- B. FIELD VERIFY EXISTING ELEVATIONS AS INDICATED. REPORT ANY DISCREPANCY TO CONSTRUCTION MANAGER PRIOR TO START OF GRADING OPERATIONS.
- C. HEADWALLS PER SD-1 STD. DWG. STM-16.
- D. CATCH BASINS PER SD-1 STD. DWG. STM-08 WITHOUT SIDE INLETS EXCEPT AS NOTED.
- E. MANHOLES PER SD-1 STD. DWG. STM-13.
- F. REFER TO STORM SEWER PROFILES SHEET C-1.1.

CODED NOTES

1. PROPOSED ARTIFICIAL TURF FIELDS. REFER TO LANDSCAPE ARCHITECTURE DRAWINGS.
2. PROPOSED SUPPORT BUILDING. REFER TO ARCHITECTURAL DRAWINGS.
3. PROPOSED SANITARY FORCEMAIN REFER TO SHEET C-2.0.
4. PROPOSED CONDUIT RUNS. REFER TO MEP PLANS.
5. GRADE AREA TO ENSURE POSITIVE DRAINAGE TO EXISTING INLET. 2% MINIMUM GRADE. 3:1 MAXIMUM SLOPES.
6. PROPOSED 12" COLLECTOR DRAINLINE. REFER TO SHEET L-2.0.



Northern Kentucky University -Intramural Fields and Support Building

VIVIAN LAMMI & ASSOCIATES, INC.
 ENVIRONMENTAL ENGINEERING ARCHITECTURE
 2312 Park Avenue, Cincinnati, Ohio 45206
 Phone: 513.555.5444, Fax: 513.555.0104
 Mobile: 502.460.9475, Email: VLL@VLAIA.com

212 North Upper Street
 Lexington, Kentucky 40507-1001
 p 859.252.6664 f 859.253.2558
 www.omniarchitects.com

Omni
ARCHITECTS

NORTHERN KENTUCKY UNIVERSITY

Revision Date	Stormwater Plan #	Checked By:
	1203	JRS
	08/31/2012	JRS
	TRW	JRS

C-1.0